

VERSO® PRODUCT DATA SHEET

PRODUCT CODE

VCP14DTX

PRODUCT RANGE

Metal Consumer Unit

DESCRIPTION

Verso® 28 way 100A DP Dual Main-switch Consumer unit c/w T2 SPD kit

FEATURES

- 18th Edition Compliant
- Type 2 SPD kit included
- 26 usable ways
- Lockable
- 100A DP Mainswitch isolator
- Silver coated busbar
- Installer kit included
- Neutral link included
- Tail Clamp included
- Knockout entry



TECHNICAL INFORMATION

Height	525mm
Width	356mm
Depth (including lid)	104mm
Weight	8.3 KG
Mounting	Surface
Number of modules	32
Cable entry	Knockouts (top, side, bottom & rear)
Guarantee	10 Years
Frequency	50Hz/60Hz
Packaging	Box
IP Rating	IP4X
Mounting type	Din Rail
Lockable	Yes (requires VCPK-L)
RAL Colour	RAL 9010 Soft matt finish
Material	Steel
Cover type	Top side steel hinge (gravity led)
Manufacturer	Verso Electrical
Product range	Metal Consumer Units
Mainswitch rating	100
Poles	2
Cable clamp	Cage Clamp
Busbar rating	100A
SPD Type	N/A
Standards	BS EN 61439 1&3, BS EN 600947-3
Country of origin	PRC




VERSO® PRODUCT DATA SHEET

PRODUCT CODE

VCP14DTX

DESCRIPTION

Verso® 28 way 100A DP Dual Main-switch Consumer unit c/w T2 SPD kit



VERSO® DECLARATION OF CONFORMITY

PRODUCT CODE

VCP14DTX

DESCRIPTION

Verso® 28 way 100A DP Dual Main-switch Consumer unit c/w T2 SPD kit

INTENDED USE

Power distribution with to final final circuits through MCB's and RCBO's

MANUFACTURER

Verso® Electrical
PGL House (Floor 1), West Point Industrial
Estate. Penarth Road. Cardiff. CF11 8JQ.
United Kingdom



RATINGS & CHARACTERISTICS

Voltage Rating	230V
Current Rating	100A
Frequency	50 Hz

DESIGNATED STANDARDS

BS EN 61439 1&3
BS EN 61643-11
BS EN 600947-3



I declare that the object of the declaration above is in conformity with the relevant harmonization legislation and national standards.

Signed on behalf of Verso® Electrical

William Winter (Ba/Bsc) | Managing Director